

Pro-Quip

QUALITY SOLUTIONS FOR CARE
YOU CAN TRUST

Sling Guide



CARE EQUIPMENT THAT PUTS RESIDENTS FIRST



Contents

Introduction	3
Sling Models	4
Sling Accessories	15
Sling Features	16
Material Options	17
User Instructions	18
Sling Labelling	18
Safe Working Load	18
Sling Attachment Options	19
Sling Selection & Risk Assessment	20
FIM Scoring	21
Sling Sizing	22
Size & Weight Range Guide	23
Matching the Right Sling to the Task	24
The Online Sling Selector Tool	25
Custom/Special Slings	26
Clinical Support/Advice	27
About Pro-Quip	27

Introduction

A sling is an item of moving and handling equipment used with a mechanical lift in order to facilitate the lifting and transfer of a patient. A sling comprises a specially designed and constructed piece of fabric that is placed under and around a patient before being attached to the spreader bar/cradle of a lift to raise, transfer and lower the patient.

When selected and used correctly, a sling and lift combination will achieve a safe, comfortable transfer and reduce the risks associated with manual handling.

This guide aims to assist those responsible for the provision of slings by outlining some key factors to be addressed in the selection of the most appropriate sling type for a patient. Guidance is then given as to which sling from our range will best meet these needs.



Sling Models

This range of slings has been designed with a number of features aimed at meeting numerous lifting requirements and applications. Each sling is described briefly below. FIM scores have been provided as an assessment tool to classify a person's function from independence to total assistance in 7 levels. See page 21 for classifications details.

Please note: Safe working loads sometimes vary depending on size. Please refer to individual product brochures and/or the sling label for more information.

Please specify size and material when ordering



Quickfit Sling (Part No. FCE151)

This sling is an easy to fit, general-purpose sling with divided leg sections, designed to suit an estimated 85% of clients. The Quickfit sling is perhaps one of the most recognised sling choices available.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	Small Medium Large
Material Options:	Polyester Polyester Padded Net Spacer



227kg / 35st

FIM Scores: 1 and 2 and any other person from the floor



Quickfit Glide Sling (Part No. FCE154)

This sling is an easy to fit, general-purpose sling with divided leg sections, suitable for the majority of patients. Integrated low-friction rip-stop nylon to the spine and leg sections ensures easy application and helps to reduce the risks associated with tissue viability.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	Small Medium Large
Material Options:	Polyester Padded + Nylon



227kg / 35st

FIM Scores: 1 and 2 and any other person from the floor



Quickfit Deluxe Sling (Part No. FCE155)

This sling is a development of the standard Quickfit design and is suitable for the vast majority of patients. Contoured leg sections provide increased hip and thigh support and it can be used for amputees following careful assessment.


Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	Small Medium Large
Material Options:	Polyester Polyester Padded Net Disposable



227kg / 35st

FIM Scores: 1 and 2 and any other person from the floor

Please specify size and material when ordering



 **284kg / 44st**

MultiFit Sling (Part No. FCE83)

This sling is a general-purpose sling with deluxe 'paddle' style legs for increased comfort and support. Integrated low-friction rip-stop nylon to the leg and spine sections ensures easy application and helps to reduce the risks associated with tissue viability.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	1 - 12
Material Options:	Polyester Padded + Nylon

FIM Scores: 1 and 2 and any other person from the floor



 **284kg / 44st**

MultiFit Reflex Sling (Part No. FCE156)

This sling incorporates 'reflex' shoulder straps that provide automatic adjustment for clients who have a lack of seat control or are prone to extensor spasm or mild to moderate involuntary movement. Integrated low-friction rip-stop nylon to the leg and spine sections ensures easy application and helps reduce the risks associated with tissue viability.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	1 - 12
Material Options:	Polyester Padded + Nylon

FIM Scores: 1 and 2 and any other person from the floor



 **284kg / 44st**

MultiFit SL Sling (Part No. FCE157)

This sling is a development of the standard MultiFit sling. It incorporates over-sized, deluxe 'paddle' style leg supports for added comfort and support, particularly for clients with larger thighs. Integrated low-friction rip-stop nylon to the leg and spine sections ensures easy application and helps to reduce the risks associated with tissue viability.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	1 - 12
Material Options:	Polyester Padded + Nylon

FIM Scores: 1 and 2 and any other person from the floor



For the safety of both patient and carer, Pro-Quip strongly recommend that a full risk assessment is conducted prior to using any sling. This will help to ensure that the choice of sling and safe procedure for transfer has been appropriately identified for the patient.

Please specify size and material when ordering



MultiFit SL Reflex Sling (Part No. FCE158)

This sling incorporates 'reflex' shoulder straps that provide automatic adjustment for clients who have a lack of seat control or are prone to extensor spasm. It incorporates over-sized, deluxe 'paddle' style leg supports for added comfort and support, particularly for clients with larger thighs. Integrated low-friction rip-stop nylon to the leg and spine sections ensures easy application and helps reduce the risks associated with tissue viability.

Lift Type: Passive
Attachment: Loops / 6-point Spreader Bar
Available Sizes: 1 - 12
Material Options: Polyester Padded + Nylon

 **284kg / 44st**

FIM Scores: 1 and 2 and any other person from the floor



UniFit Sling (Part No. FCE34)

This sling is an easy to fit, general-purpose sling with divided leg sections suitable for the vast majority of patients. Padded leg sections as standard provide excellent comfort and support for the client.

Lift Type: Passive
Attachment: Loops / 6-point Spreader Bar
Available Sizes: XS | Small | Medium | Large | XL
Material Options: Polyester Padded | Net

 **284kg / 44st**

FIM Scores: 1 and 2 and any other person from the floor



UniFit Deluxe Sling (Part No. FCE159)

This sling is an easy to fit, general-purpose sling suitable for most basic transfer requirements. The contoured leg sections, complete with padding and hip tapes as standard, offer excellent comfort and reduced pressure in the upper leg area.

Lift Type: Passive
Attachment: Loops / 6-point Spreader Bar
Available Sizes: XS | Small | Medium | Large | XL
Material Options: Polyester Padded | Net

 **284kg / 44st**

FIM Scores: 1 and 2 and any other person from the floor



Some slings incorporate 'reflex' shoulder straps as opposed to the standard looped straps. This helps provide automatic adjustment for patients with a lack of seat control or who are prone to extensor spasm. It allows the sling strap to slide across its attachment point in harmony with the patient's movement offering a less restrictive environment for the patient. Examples are the MultiFit Reflex and UltraFine Reflex slings.

Please specify size and material when ordering



High Back Sling (Part No. FCE160)

This sling is designed for lifting and transferring clients from either a seated or recumbent position. Made from heavy-duty polyester and with integrated head support, it offers good support and reassurance for the client.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	XS Small Medium Large XL
Material Options:	Polyester Padded



284kg / 44st

FIM Scores: 1 and 2 and any other person from the floor



Full Back Sling (Part No. FCE162)

This sling is an easy fit, contoured sling designed to fit most clients. It offers excellent full body support and the correct size will fit snugly and give full protection for patients who go into extension or have involuntary movements or behavioural problems.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	XS Small Medium Large XL
Material Options:	Polyester Padded Net Spacer Disposable



227kg / 35st

FIM Scores: 1 and 2 and any other person from the floor



Full Back Silkfit Sling (Part No. FCE25)

This sling is a flexible, contoured easy to fit sling designed to fit most clients. It is especially suited to patients in moulded type wheelchair systems where fitting of a sling can prove difficult. The correct size will fit snugly and give full protection for patients who go into extension or have involuntary movements or behavioural problems.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	XS Small Medium Large
Material Options:	Nylon



227kg / 35st

FIM Scores: 1 and 2 and any other person from the floor



Slings can be customised from their standard specification where patient specific requirements need to be met. Bespoke sizing, padding, fleece lining and body belts are just some of the options available. Please contact Pro-Quip for further information.

Please specify size and material when ordering



Comfort Sling (Part No. FCE87)

This sling is an easy fit, contoured sling designed to accommodate the majority of clients. For use in conjunction with a 4-point positioning cradle, the patented Securi3 clip system ensures no inadvertent detachment of the sling.

Lift Type:	Passive
Attachment:	Clips / 4-point cradle
Available Sizes:	XS Small Medium Large XL
Material Options:	Polyester Polyester Padded Net Disposable

 **227kg / 35st**

FIM Scores: 1 and 2 and any other person from the floor



Full Body (Loops) Sling (Part No. FCE55)

This sling offers excellent support for clients. Quick and easy to apply, it has an integrated head support and padded leg sections as standard and offers good protection for patients who go into extension or have moderate involuntary movements or behavioural problems.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	XS Small Medium Large XL
Material Options:	Polyester Padded Net

 **284kg / 44st**

FIM Scores: 1 and 2 and any other person from the floor



Full Body (Clips) Sling (Part No. FCE84)

This sling is a general-purpose sling with integrated head support offering excellent comfort and support for clients. Quick and easy to apply, this sling utilises Securi3 clip attachment points to suit 4-point positioning cradles and offers good protection for patients who go into extension or have moderate involuntary movements or behavioural problems.

Lift Type:	Passive
Attachment:	Clips / 4-point cradle
Available Sizes:	XS Small Medium Large XL
Material Options:	Polyester Padded Net Spacer

 **284kg / 44st**

FIM Scores: 1 and 2 and any other person from the floor



For the safety of both patient and carer, Pro-Quip strongly recommend that a full risk assessment is conducted prior to using any sling. This will help to ensure that the choice of sling and safe procedure for transfer has been appropriately identified for the patient.

Please specify size and material when ordering



Access Padded Sling (Part No. FCE16)

This sling has been designed specifically to facilitate the toileting process by allowing excellent access to clothing. It is an easy to fit sling, fully padded for additional comfort. It is not a general purpose sling and will only suit around 25% of clients. Available with or without head support.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	XS Small Medium Large XL
Material Options:	Polyester Padded



227kg / 35st

FIM Scores: 2 or 3 following careful assessment

NOTE: A thorough risk assessment **MUST** be carried out when using the Access sling as it can be unsafe when used with the wrong patient.



Comfort Access Padded Sling (Part No. FCE85)

This sling, with head support, has been designed specifically to facilitate the toileting process, allowing easy access to clothing. For use in conjunction with a 4-point positioning cradle, the patented Securi3 clip system ensures no inadvertent detachment of the sling. It is not a general purpose sling and will only suit approximately 25% of clients.

Lift Type:	Passive
Attachment:	Clips / 4-point cradle
Available Sizes:	Small Medium Large
Material Options:	Polyester Padded



227kg / 35st

FIM Scores: 2 or 3 following careful assessment

NOTE: A thorough risk assessment **MUST** be carried out when using the Access sling as it can be unsafe when used with the wrong patient.



Toileting Low Sling (Part No. FCE86)

This sling is designed to support the toileting process, offering good access to clothing. Made from durable, heavy-duty polyester, it incorporates a removable, elasticated waist belt for added support and security. It is not a general purpose sling and must be carefully risk assessed prior to use.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	XS Small Medium Large XL
Material Options:	Polyester Padded




284kg / 44st

FIM Scores: 2 or 3 following careful assessment



Toileting slings by their very nature have large apertures to allow easier access to clothing and to help facilitate the toileting process. This can pose safety concerns due to the inherent risk of a patient falling through the sling, especially those with low muscle tone. A thorough risk assessment **MUST** be carried out prior to using this style of sling to ensure a dignified, comfortable and safe transfer takes place.

Please specify size and material when ordering



Toileting Plus Sling (Part No. FCE163)


This sling is an easy to fit sling designed specifically to facilitate the toileting process, providing excellent access to clothing. Made from a heavy-duty polyester material, it offers both excellent support and durability. It is not a general-purpose sling and will only suit around 25% of clients.

- Lift Type:** Passive
- Attachment:** Loops / 6-point Spreader Bar
- Available Sizes:** XS | Small | Medium | Large | XL
- Material Options:** Polyester Padded

 **284kg / 44st**

FIM Scores: 2 or 3 following careful assessment

NOTE: A thorough risk assessment **MUST** be carried out when using the Toileting Plus sling as it can be unsafe when used with the wrong patient.



In-Situ Sling (Part No. FCE31)

The In-Situ is a hammock style sling suitable for fitting from a recumbent position only. Made from a cushioned and breathable 3D woven ‘Spacer’ material with high air permeability, offering high levels of comfort. Suitable for the lifting of amputees following careful assessment.

- Lift Type:** Passive
- Attachment:** Loops / 6-point Spreader Bar
- Available Sizes:** XS | Small | Medium | Large | XL
- Material Options:** Spacer

 **200kg / 31st**

FIM Scores: 1 or 2 following careful assessment



UltraFine Straight Leg Sling (Part No. FCE148)

This sling is made from a cushioned and breathable 3D woven ‘Spacer’ material with high air permeability and pressure redistribution properties. Integrated, low-friction rip-stop nylon to the leg sections ensures easier application. Available with or without head support.

- Lift Type:** Passive
- Attachment:** Loops / 6-point Spreader Bar
- Available Sizes:** XS | Small | Medium | Large | XL
- Material Options:** Spacer + Nylon


 **284kg / 44st**

FIM Scores: 1 and 2 and any other person from the floor



3D woven spacer material has become a popular option for patient slings. Due to its inherent cushioning and air-flow characteristics, patients often find it more comfortable than standard polyester options. It is often promoted and referred to as an ‘In-Situ’ material although this is not strictly true. Divided leg sections still have potential to interfere with tissue viability for ‘at risk’ patients due to the stitched binding/seams. The In-Situ sling is designed to negate this problem through its ‘seamless’ leg section, helping to reduce these risks.

Please specify size and material when ordering



UltraFine Deluxe Leg Sling (Part No. FCE78)

This sling incorporates flared leg sections for increased patient comfort and support. Made from a cushioned and breathable 3D woven 'Spacer' material with high air permeability, offering high levels of comfort. Integrated, low-friction rip-stop nylon to the leg sections ensures easier application. Available with or without head support.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	XS Small Medium Large XL
Material Options:	Spacer + Nylon



284kg / 44st

FIM Scores: 1 and 2 and any other person from the floor



UltraFine Reflex Sling (Part No. FCE116)

This sling is made from a cushioned and breathable 3D woven 'Spacer' material, with high air permeability, offering high levels of comfort. With counter-balance straps to the shoulder sections, this sling is particularly helpful where a patient is prone to moderate involuntary movement or extension. Integrated, low-friction rip-stop nylon to the leg sections ensures easier application.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	XS Small Medium Large XL
Material Options:	Spacer + Nylon



284kg / 44st

FIM Scores: 1 and 2 and any other person from the floor



UltraFine Lite Straight Leg Sling (Part No. FCE164)

This sling is a divided leg sling, made from a super-soft micro-fibre polyester, offering excellent levels of comfort. Integrated, low-friction rip-stop nylon to the leg sections ensures easy application. Available with or without head support.

Lift Type:	Passive
Attachment:	Loops / 6-point Spreader Bar
Available Sizes:	XS Small Medium Large XL
Material Options:	Super-soft Polyester + Nylon



227kg / 35st

FIM Scores: 1 and 2 and any other person from the floor



Some slings have a nylon material cover added to the leg and back sections. This 'rip-stop' nylon has very low friction properties, making the sling easier to slide into place during application. Examples include the UltraFine range and the Quickfit Glide.

Please specify size and material when ordering



UltraFine Lite Deluxe Leg Sling (Part No. FCE165)

This sling incorporates deluxe legs for increased patient support. Made from a super-soft micro-fibre polyester, it offers excellent levels of comfort and the low-friction rip-stop nylon to the leg sections ensures easy application. Available with or without head support.

- Lift Type:** Passive
- Attachment:** Loops / 6-point Spreader Bar
- Available Sizes:** XS | Small | Medium | Large | XL
- Material Options:** Super-soft Polyester + Nylon

SWL 227kg / 35st

FIM Scores: 1 and 2 and any other person from the floor



Long Seat Sling (Part No. FCE79)

This sling is a hammock style sling designed for amputees but also suitable for other patients. This sling is traditionally fitted from a recumbent position and the use of side suspenders will facilitate a more comfortable transfer. Patients should be carefully assessed for suitability by a qualified person. Available with or without commode aperture.

- Lift Type:** Passive
- Attachment:** Loops / 6-point Spreader Bar
- Available Sizes:** Small | Medium | Large
- Material Options:** Polyester | Net

SWL 227kg / 35st

FIM Scores: 1 or 2 following careful assessment



Standing Harness (Part No. FCE167)

The Standing Harness is a versatile sling to assist with standing, walking or toileting. It is not a general-purpose sling and requires the patient to be able to partially weight-bear. Often used for rehabilitation activity in combination with an overhead lift.

- Lift Type:** Passive
- Attachment:** Loops / 6-point Spreader Bar
- Available Sizes:** XS | Small | Medium | Large
- Material Options:** Polyester Padded

SWL 227kg / 35st

FIM Scores: 2 or 3 following careful assessment



Slings can be customised from their standard specification where patient specific requirements need to be met. Bespoke sizing, padding, fleece lining and body belts are just some of the options available. Please contact Pro-Quip for further information.

Please specify size and material when ordering



Bariatric Hammock Sling (Part No. FCE168)

Specifically designed to be compatible with the Oxford Calibre, this sling is suitable for the safe transfer of bariatric patients. Made from a triple skinned, breathable material, it is particularly suited to patients who may have to remain in the sling for extended periods. Patients must be carefully assessed for suitability by a qualified person prior to a transfer taking place.

Lift Type:	Passive (Calibre only)
Attachment:	Loops
Available Sizes:	XL 2XL 3XL 4XL 5XL
Material Options:	Spacer

SWL 385kg / 60st

Careful and thorough risk assessment required prior to use

NOTE: This sling is specifically designed for use with the Oxford Calibre lift and requires a thorough risk assessment prior to use.



Deluxe Standing Sling (Part No. FCE81)

The Deluxe Standing sling is suitable for those patients who have a greater degree of weight bearing ability. It allows excellent access for toileting and is easy to fit, providing quick and effective transfers.

Lift Type:	Active / Stand-aid
Attachment:	Loops
Available Sizes:	Small Medium Large
Material Options:	Polyester Padded Disposable

SWL 200kg / 31st

FIM Scores: 3 and 4 following careful assessment

NOTE: A thorough risk assessment **MUST** be carried out when using the Deluxe Standing sling as it can be unsafe when used with the wrong patient.



Deluxe Standing Sling with Clips (Part No. FCE17)

The Oxford Deluxe Standing sling with Clips is an easy fit sling suitable for standing and supporting. It is not a general purpose sling and clients should be carefully assessed for suitability. It will not suit double amputees or lifting from a horizontal position and clients must have a good degree of weight bearing ability.

Lift Type:	Active / Stand-aid
Attachment:	Clips
Available Sizes:	Small Medium Large
Material Options:	Polyester Padded

SWL 200kg / 31st

FIM Scores: 3 and 4 following careful assessment

NOTE: A thorough risk assessment **MUST** be carried out when using the Deluxe Standing sling as it can be unsafe when used with the wrong patient.

Please specify size and material when ordering



Deluxe Transport Sling (Part No. FCE29)

The Deluxe Transport sling is suitable for those patients with a degree of weight bearing ability. It is an easy to fit, general-purpose sling giving full support to most clients. It will not suit double amputees or lifting from a horizontal position.

- Lift Type:** Active / Stand-aid
- Attachment:** Loops
- Available Sizes:** Small | Medium | Large
- Material Options:** Polyester Padded

 **200kg / 31st**

FIM Scores: 2, 3 and 4 following careful assessment

***NOTE:** A thorough risk assessment **MUST** be carried out when using the Deluxe Transport sling as it can be unsafe when used with the wrong patient.*



Patient Handling Belt (Part No. FCE39)

The Patient Handling Belt offers carers a means of providing standing assistance to patients. It can be used independently or in combination with a compatible manual standing/transfer device, e.g. the Oxford Switch. It may also be used to help with walking rehabilitation/gait training activity following careful assessment.

- Lift Type:** Standing Transfer Device
- Attachment:** Loops
- Available Sizes:** Small | Medium | Large
- Material Options:** Polyester

 **200kg / 31st**

FIM Scores: 3 and 4 following careful assessment

***NOTE:** A thorough risk assessment **MUST** be carried out when using the Patient Handling Belt as it can be unsafe when used with the wrong patient.*




The Deluxe Transport sling is an excellent option for active stand-aid lifts. Rather than bringing a patient to a full standing position, it is designed to offer a seated position for transfer. Conversely, it is possible to use this sling as a conventional standing sling by not utilising the leg sections. A degree of weight bearing ability is required for all stand-aid slings and so a thorough risk assessment is strongly advised.

Sling Accessories



Head supports and pads help to ensure correct positioning and support during a transfer.



Side suspenders for use with Long Seat or Quickfit slings.




A head/neck roll provides additional comfort and support for the patient.



Extension straps allow an increase in length of the existing sling straps that connect to the lift.



Slide sheets allow basic patient handling tasks to be completed without the need to lift the patient.



Easy Mitts are designed to help carers reduce patient skin friction when performing a variety of tasks, e.g. ensuring easier sling application or supporting small positioning tasks.

Sling Features

Slings have many common attributes that make them easier to use, and easier to train with.




Coloured binding or tabs provide clear recognised size information at a glance.



Coloured loop straps that provide adjustment and the correct positioning angle for the 6-point spreader bar system.



Clear sling labels provide identification, safety information and on-going care guidelines.



Centre-line markers aid the carer in the correct positioning of the sling, especially when inserting the sling before an off the bed or floor transfer.



Modesty loops help prevent the patient's legs from spilling while transferring to maintain dignity.



Positioning handles on our slings are carefully positioned to offer ease of handling.



The grey colour of our standard polyester slings means contamination is easy to spot - but the polyester fabric isn't prone to staining, and is easily laundered.




Padding provides additional comfort and support to delicate areas and our webbing straps have covered ends to protect the patient's skin.

Material Options



Polyester

A strong, hard-wearing material that has been a consistent standard for slings over the years. This tried and tested fabric is traditionally available in medium grey, although selected sling models are offered in alternative colours.




Polyester Net

Complimentary to the polyester solid, the net (or mesh) variant is also a common option. This fabric is ideally suited to bathing and/or swimming pool environments due to its quick drainage and drying properties.




Super-soft

This option is a warp knitted polyester using 100% microfibre, providing excellent strength and durability. Offered in navy blue on selected sling models, it is a notably soft grade fabric offering enhanced comfort for the user.




Spacer

A cushioned and breathable 3D woven spacer fabric (4mm) offering high air permeability and good drainage. Two-way stretch characteristics enables this material to adapt to the contours of the user, resulting in high levels of comfort and support.



Rip-stop Nylon

A light-weight military grade fabric often referred to as 'parasilk'. With interwoven reinforcement threads for strength, it provides an extremely low friction surface, lending itself to users in moulded type wheelchair systems where fitting of a sling can prove difficult. Some slings use this material on back and/or leg sections to ensure easier sling application (e.g. MultiFit).



Polyester Disposable

This polyester material option is specifically developed for single patient use, helping to reduce the risks of cross infection. Slings made from this fabric must not be laundered or exposed to water in order to maintain their integrity. Available on selected models only.

User Instructions

A detailed user guide is provided with every sling. It contains essential information including safety guidance, machine washing and general care of the sling. The user guide should be read and understood prior to using any sling. Additionally, a Sling Safety Checks guide is included with each sling, detailing important visual checks that help to ensure the ongoing safety of your sling during use.

Sling Labelling



Sling labels provide essential information about the sling, including:

- Sling model
- Sling part number
- Size
- Testing mark (CE or similar)
- Date of manufacture
- Washing/care instructions
- Safe working load (SWL)
- Bar code (not shown)
- Service log

Note: Each sling includes a unique serial number to enable traceability. This is particularly useful when completing inspection and audit records.

SLING SERVICE LOG												
DATE INTO SERVICE		/ /										
1	2	3	4	5	6	7	8	9	10	11	12	
YR 1												
YR 2												
YR 3												
YR 4												
YR 5												

CLIENT DETAILS

OXFORD® QUICKFIT

XS	SPECIAL
SMALL	SL1000
MEDIUM	SL1000
LARGE	SL1000
XL	SPECIAL

Safe Working Load

The safe working load is clearly stated on the sling label. This can vary dependent on sling type and size so always check the label before use.

WARNING

Max Safe Working Load
Poids maximum autorisé
Höchstbelastung
Carga Máxima Segura de Trabajo
227kg / 500lbs (35st)

SWL
227kg / 35st / 500lbs

XXXXX

IMPORTANT: Remember to check the safe working load of the hoist prior to lifting a patient as it may differ to that of the sling.

Sling Attachment Options

Some Oxford patient lifts have the option of two sling attachment systems that provide the carer greater choice in selecting the most appropriate sling and cradle for a task. The Advance, Presence and Stature can be used with either the 6-point spreader bar or a 4-point positioning cradle. Both systems have their place, but more importantly, it allows the carer to choose exactly the right sling for the patient and task in question.



6-point spreader bar

6-point Spreader Bar

The 6-point spreader bar uses slings with webbing loops that allow positioning adjustments to be made by selecting the different coloured loops. The attachment straps at shoulder level determine the position of the back, ranging from upright through to reclined. Similarly, the attachment straps at the legs determine the approximate degree of flexion at the hip, from around 90° to 45°.

The position achieved by adjusting the loops will depend upon the height and build of the patient. The rule of thumb is the shorter the shoulder straps the more upright the client will be.



4-point positioning cradle
(powered version shown)

4-point Positioning Cradles


The 4-point positioning cradle uses the Securi3 safety clip system and adjustment is made by rotating the cradle handle either down or up to obtain an upright or reclined position for the patient. Both manual and powered cradles are available.



4-point shallow cradle
(Manual - Advance lift only)

Securi3 Clip Sling Attachment System (4-point cradle only)

The Securi3 clip system is designed to ensure NO inadvertent detachment occurs during a transfer. The following key stages assures the patient and carer of complete safety.



Sling Selection & Risk Assessment

Selecting a sling for an individual patient involves more than simply measuring their size and deciding what the sling will be used for. Other factors to take into consideration for example are the level of support required from the sling and whether a commode aperture is necessary. However, to be sure that a sling meets specific requirements and is the most appropriate sling available, many further aspects need to be considered as part of the selection process. Some of these are discussed briefly here.

Information About the Tasks

In order to be sure that the sling selected will be suited to its required use, it is necessary to determine the type of transfer task(s) that are desired, together with the frequency with which they will occur. This relates closely to the functional requirements of the sling. (For example: a sling that is to be used for toileting may require a commode aperture).

Sling Support Levels

Different types of slings provide different levels of support for the patient being lifted. The support level is determined by the shape and structure of the fabric, with the main body of the sling providing support to the back and head (1) and the leg straps providing support to the thighs, hips and buttocks (2/3).



Information About the Carer(s) or Handler(s)

When selecting slings, it is important to be mindful of the person(s) who will be fitting the sling and using the lift. Their abilities and limitations - especially experience and training - must be considered. Some slings are more complicated than others to fit and a handler may be reluctant to use a sling if the process of fitting it is too complex. The number of carers available to fit the sling as well as the total number of carers involved in a patient's care may also be important considerations - a range of carers may have a range of capabilities.

Information About Other Equipment

It is necessary and important to establish a sling's compatibility with other equipment, especially the lift or lifting system. It is also important to identify any associated equipment that is involved in a transfer, such as seating, beds, trolleys, toilets and play or therapy equipment to ascertain that the lift and sling will work effectively with these items.

FIM Scoring

A widely used assessment tool to classify a person's function from independence to total assistance in 7 levels.

What are the 7 levels?

Independent	7. Complete Independence Another person is not required for the activity which is performed safely without modification or outside assistance within a reasonable time.
	6. Modified Independence Activity requires one or more of the following: an assistive device, more than reasonable time or safety (risk) considerations.
Dependent	5. Supervision or set up Someone required to help by observation or encouragement without contact.
	4. Minimal Assistance Someone required to help - by touching - subject makes 75% or more of the effort.
	3. Moderate Assistance Someone required to help by more than touching - subject makes 50% - 75% of the effort.
Complete Dependence	2. Maximal Assistance Complete dependence. Subject makes less than 50% but at least 25% of effort.
	1. Total Assistance Complete dependence. Subject makes less than 25% of effort.



Please note: Staff in ALL areas must have immediate access to at least one mobile passive hoist for use in the event of an emergency such as the retrieval of a patient who has fallen. A passive hoist suitable for a very heavy person should also be accessible within the facility/ hospital and all staff should be aware of the system for accessing the hoist as required. (For example: in the event of an unplanned admission of a very heavy patient into Accident and Emergency).






Sling Sizing

Slings are available in sizes XS to XL (Model dependent)a range of sizes to accommodate variety in height, shape and weight of patients. All these factors must be taken into consideration when selecting the appropriate sling for the patient. Slings are available in sizes XS to XL (Model dependent) and bariatric slings in sizes XL to 5XL.








Oxford use a simple colour-coding system that ensures the size of your sling is instantly recognisable. The outer-edge binding of the sling is colour-coded as shown. Oxford's bariatric slings use a striped system to help differentiate from the standard range.

Colour Coding - Standard Sling Range:

XS  Extra Small (Paediatric)	S  Small	M  Medium	L  Large	XL  Extra Large
---	---	--	---	--

Colour Coding - Bariatric Sling Range:


XL 	2XL 	3XL 	4XL 	5XL 
--	---	---	---	---



Many slings can be customised outside of their standard specification to include adjustments to sizing. Should a standard sling size be deemed unsuitable, we can create a tailored sling to meet patient specific requirements. Contact Pro-Quip for more information.

Size & Weight Range Guide (approx.)


This chart provides only an approximate indication of sling size based on patient weight. Pro-Quip always recommends a full risk assessment is conducted to ascertain the most suitable size of sling based on patient's measurements and conditions rather than weight alone.



** Custom-sizing may be appropriate at the lower end of the XS weight range and higher end of the XL weight range.*

Bariatric Slings:

All Oxford bariatric slings are rated to a safe working load of 385kg / 60st / 850lbs. Due to the varying nature of bariatric patient shapes and sizes, it becomes increasingly difficult to provide a guide on sling size based on weight alone. Patients should be individually assessed to ascertain the correct size sling.



Please note: It is very important to use the correct sized sling and ensure it is properly fitted before attempting to lift. This will ensure the person being lifted feels safe, dignified and comfortable. It will also provide the carer with confidence that they can achieve the transfer required and that the procedure will be executed in an effective and safe manner.

Matching the Right Sling to the Task

(Good Practice Guide)

To simplify the process of sling selection, we have developed a chart to help guide you in the appropriate use of each sling for a given task. There will, of course be exceptions to this guide and Pro-Quip recommend that a full patient risk assessment is carried out prior to any transfer to determine individual requirements.

Sling Model	Example Patient Lift	Chair to Chair	Bed to Chair	Chair to Commode / Toilet	Commode to Bath (1)	Floor to Bed / Chair	Rehab / Assisted Standing
Access Padded	Advance / Midi 180	■	■	■			
Comfort Access (2)	Stature / Presence	■	■	■			
Comfort (2)	Stature / Presence	■	■	■	■	■	
Full Back	Advance / Midi 180	■	■	■	■	■	
In-Situ	Advance / Midi 180	■ (3)	■			■ (5)	
Long Seat	Advance / Midi 180	■ (3)	■	■ (4)	■	■ (5)	
Quickfit	Advance / Midi 180	■	■	■	■	■ (5)	
Quickfit Deluxe	Advance / Midi 180	■	■	■	■	■ (5)	
Deluxe Standing	Journey / Standaid 140	■	■ (6)	■			■
Deluxe Standing with Clips	Up	■	■ (6)	■			■
Deluxe Transport	Journey / Standaid 140	■	■ (6)	■			■
Patient Handling Belt	Switch	■	■	■			■
Standing Harness	Stature / Presence						■
Bariatric Hammock	Calibre	■ (3)	■			■	
MultiFit	Advance / Midi 180	■	■	■		■	
UniFit	Advance / Midi 180	■	■	■	■	■ (5)	
UniFit Deluxe	Advance / Midi 180	■	■	■	■	■ (5)	
High Back	Advance / Midi 180	■	■	■		■	
Full Body (2)	Advance / Midi 180	■	■	■	■	■	
Toileting Low	Advance / Midi 180	■	■	■			
Toileting Plus	Advance / Midi 180	■	■	■			
UltraFine Straight Leg	Advance / Midi 180	■	■	■		■ (5)	
UltraFine Deluxe Leg	Advance / Midi 180	■	■	■		■ (5)	
UltraFine Reflex	Advance / Midi 180	■	■	■		■	
UltraFine Lite Straight Leg	Advance / Midi 180	■	■	■		■ (5)	
UltraFine Lite Deluxe Leg	Advance / Midi 180	■	■	■		■ (5)	

(1) Net version recommended.

(2) When used with a 4-point positioning cradle (Clip slings only).

(3) Assuming patient is sat in sling following transfer from a bed.

(4) Commode aperture required.

(5) Head support recommended.


(6) Assuming patient is sat on edge of bed with both feet on the footplate.

The Online Sling Selector Tool

Selecting the most appropriate sling is crucial since it ensures a safe, dignified and comfortable patient transfer whilst reducing the risks associated with manual handling.

The Sling Selector is a useful on-line tool, carefully designed and developed to assist therapists and end-users select the most appropriate sling based on patient, task and equipment variables.


- Simple, intuitive and FREE to use with step by step help
- Detailed sling information and downloads
- Account history feature enables users to track patient sling use
- Avoids ordering errors and reduces injuries
- Mobile and tablet friendly user interface

Account HistoryEdit DetailsLog out




4. Sling Recommendations

Based on your selections, the following slings match your requirements.
Click 'Select Sling & Accessories' to view the optional and any inclusive add-ons before confirming your selection.

Oxford® Full Back



The **Oxford Full Back** sling is an easy fit, contoured sling designed to fit most clients. It offers excellent full body support and the correct size will fit snugly and give full protection for patients who go into extension or have moderate involuntary movements or behavioural problems.

 Additional information User guide Brochure

Select Sling & Accessories

Register today at www.oxfordslingselector.co.uk

Custom/Special Slings

Custom or special slings may be one off designs or non-standard changes to an existing sling to meet patient specific requirements. These slings are made to order. Some sling models can not be customised. Please contact Pro-Quip for full details.

Options for customisation include, but are not limited to:

- Change material
- Extend sling strap length to suit (leg and/or shoulders)
- Add body belt
- Add or remove positioning straps
- Add or remove head support
- Add fleece lining or padding to specific areas of the sling
- Adjust sizing outside of standard

Clinical Support/Advice

Support is available upon request to assist Pro-Quip customers by providing clinical information and advice in relation to slings and other products.

About Pro-Quip

Pro-Quip is the high-quality medical equipment brand from Fairfield Care. With over 30 years' experience helping care homes deliver the best possible care, we understand what you and your residents need.

From profiling beds and pressure relief mattresses to our accessible bath range, Pro-Quip products enhance comfort, mobility and overall quality of care. All our products meet the highest industry standards, so whatever you order, you can be sure your Pro-Quip equipment is reliable, compliant and safe.

To find out how Pro-Quip can assist you with your patient handling needs, please contact us:

(T) +44 (0)1234 324 530

(E) sales@fairfieldcare.co.uk

(W) www.fairfieldcare.co.uk

The logo for Pro-Quip features the word "Pro-" in a dark grey sans-serif font, followed by "Quip" in a bold, lime green sans-serif font. A stylized, wavy green line is positioned beneath the "Quip" text.

Pro-Quip

Pro-Quip is the high quality equipment brand from **Fairfield Care**

Fairfield Care
Unit 3
Hudson Road
Bedford
MK41 0LZ

Phone: 01234 324530
Email: sales@fairfieldcare.co.uk
www.fairfieldcare.co.uk



Fairfield Care
Quality solutions for care you can trust

